



InteliTHERM™ HTG400

InteliTHERM™ HTG400 Handheld Temperature Gauge



Features

- High accuracy ($\pm 0.5^{\circ}\text{C} + 0.2\%^{*}$).
- Instant temperature reading.
- Unaffected by material types or emissivity.
- Fully portable handheld unit.
- Long life rechargeable li-ion battery.
- User-friendly simple operation.

Introduction

The InteliTHERM™ HTG400 is a compact handheld wire temperature measuring device. It is suitable for all wire types and has a special bimetallic wheel construction and integrated electronics. This enables high precision ($\pm 0.5^{\circ}\text{C} + 0.2\%^{*}$) temperature measurement up to 400°C (752°F). The InteliTHERM™ HTG400 is extremely easy to use. Switching between $^{\circ}\text{C}$ and $^{\circ}\text{F}$ is achieved with a single push of the $^{\circ}\text{C}/^{\circ}\text{F}$ units button. The device is fully portable with an integrated rechargeable battery. Temperature is displayed on an easy to read built in LCD display.

Specifications

Specification	InteliTHERM™ HTG400
Temperature measurement range	Ambient temperature to $+400^{\circ}\text{C}$ (752°F)
Accuracy	$\pm 0.5^{\circ}\text{C} + 0.2\%^{*}$
Display	LCD with LED back light
Battery type	18650 Li-ion
Battery capacity	3000mAh (>1000 measurements)
Charging interface	USB-C
Charging time from empty	8 hours
Charging voltage	4.7V~5.2V
Charging current	$\geq 500\text{mA}$
Ambient operating temperature	$+5 \sim +40^{\circ}\text{C}$
Storage temperature	$0 \sim +45^{\circ}\text{C}$

*Assuming InteliTHERM™ HTG400 is operating at ambient temperature

CONTACT

HEAD OFFICE

Proton Products International Ltd.
10 Aylesbury End
Beaconsfield Bucks,
HP 91 LW
ENGLAND.
info@protonproducts.com
www.protonproducts.com

EUROPE

Proton Products Europe N.V.
Nieuwbaan 81,
B-1785,
Merchtem-Peizegem,
BELGIUM.
Tel: +32 (0) 52 466 311
Fax: +32 (0) 52 466 313

USA

Weber & Scher, P.O.Box 366,
1231 US Highway 22 East,
LebanonBorough,
New Jersey,
USA.
Tel: +1 (908) 236 8484
Fax: +1 (908) 236 7001

ASIA

Proton Products Chengdu Ltd.
4th Floor, Building G3, 1800 Yi
Zhou Avenue Middle Section,
TianFu Software Park Zone G,
Chengdu 610041, PR China.
Tel: + 86 288 439 3112
Fax: + 86 286 571 7677